



## Haulotte 5533A Tow-Behind Articulating Boom Lift

### Engine Options:

- Power Source: 24V DC Electric Motor with 4 × 6V, 245 Ah batteries
- Weight: 4,800 lbs (2,177 kg)

### Dimensions:

- Overall Length: 23 ft 8 in (7.21 m)
- Overall Width: 5 ft 7 in (1.70 m)
- Overall Height (Mast Lowered): 6 ft 9 in (2.06 m)
- Working Width (with outriggers deployed): 14 ft 8 in (4.5 m)

### ✓ Performance:

- Max Platform Height: 55 ft 3 in (16.85 m)
- Max Working Height: 61 ft 3 in (18.68 m)
- Max Horizontal Outreach: 33 ft 5 in (10.21 m)
- Up and Over Clearance: 23 ft 1 in (7.04 m)
- Platform Size: Approximately 4 ft 1 in wide
- Lift Capacity: 500 lbs (227 kg)

### Capacities:

- Turntable Rotation: 350° non-continuous
- Leveling Capability: Up to 12.5°
- Max Towing Speed: 65 mph (104.6 km/h)
- Tire Size: ST 225/75 R15
- Charger: Inboard 25 Amp charger

### Features:

- Hydraulic outriggers with automatic leveling
- Self-leveling platform
- Integrated forklift pockets
- Air and water lines to the platform
- 110V GFCI power outlet at the platform
- Hydraulic surge brakes for towing
- Optional accessories: platform rotator, drive & set assist, spare tire kit, Honda gas generator

Equip your construction projects with the Haulotte 5533A Tow-Behind Articulating Boom Lift, available at T&T Heavy Rentals!